
Central Valley Regional Water Quality Control Board

11 September 2019

Darren Clow
Holland Riverside Marina
1145 2nd St., #336
Brentwood, CA 94501

**TENTATIVE RESCISSION OF WASTE DISCHARGE REQUIREMENTS
ORDER 5-01-093 FOR HOLLAND RIVERSIDE MARINA
CONTRA COSTA COUNTY**

TO ALL CONCERNED PERSONS AND AGENCIES:

Enclosed is a tentative rescission order of Waste Discharge Requirements (WDRs) Notice of Applicability for Holland Riverside Marina. The Notice of Applicability was for discharges to land from the on-site wastewater treatment plant serving the marina and associated land-based property. The Central Valley Water Quality Control Board (Central Valley Water Board) will be considering adoption of the tentative rescission order at its December 2019 meeting. Any written comments or evidence you may have concerning the tentative order must be submitted to this office by **5:00 p.m. on 28 November 2019** to allow us to give them full consideration prior to the December 2019 meeting. Absent a showing of good cause and lack of prejudice to other parties, the Board Chair may exclude comments and evidence received after this deadline. Please email any comments to centralvalleysacramento@waterboards.ca.gov and include maxine.cottrell@waterboards.ca.gov in the email.

To ensure that your comments are properly routed, the following information should be included in the body of the email or any documentation submitted to the mailing address for this office:

Facility Name: Holland Riverside Marina, Contra Costa County
Program: Non-15 Compliance
Order: 2014-0153-DWQ-R5315

Comments received after the submission deadline time will **not** be considered or included in the administrative record unless specifically allowed by the Board's Chair.

The Board appreciates receiving comments in writing by the due date and time listed above so that the comments may be included in the pre-meeting information packages that the Board members will receive. Persons wishing to make non-evidentiary policy statements at the Board meeting are not required to submit written comments. During the meeting non-evidentiary policy statements will generally be limited to 3 minutes.

A paper copy of the tentative WDRs is sent with this notice to Holland Riverside Marina and Contra Costa County. Other interested parties are advised that the tentative order

is available on the Central Valley Water Board's [Tentative Orders web page for Discharger-Specific Items for Future Approval and/or Regional Water Board Meetings](http://www.waterboards.ca.gov/rwqcb5/board_decisions/tentative_orders/#specific) (http://www.waterboards.ca.gov/rwqcb5/board_decisions/tentative_orders/#specific).

The Central Valley Water Board meeting where the above matter will be considered is scheduled for the following time and location:

DATE: 05 / 06 DEC 2019
TIME: 9:00 a.m.
PLACE: Regional Water Quality Control Board, Central Valley Region
11020 Sun Center Drive, Suite 200
Rancho Cordova, CA 95670

Anyone without access to the Internet who needs a paper copy of the tentative Order should contact Maxine Cottrell at (916) 464-4623 or by surface mail at the above address, or via email at maxine.cottrell@waterboards.ca.gov.

Original signed by Maxine Cottrell

Maxine Cottrell
Water Resource Control Engineer
Waste Discharge to Land Permitting Unit

Enclosure: Tentative Rescission of Waste Discharge Requirements Order

Cc: Contra Costa County Environmental Health Department

cc w/o enc: David Lancaster, State Water Resources Control Board, OCC
Tim O'Brien, State Water Resources Control Board